



Product Service

# CERTIFICATE

No. Z1 019700 0031 Rev. 00

**Holder of Certificate:** **Frigerio Carpenterie**

Via E. Fermi 6  
24050 Orio al Serio (BG)  
ITALY

**Certification Mark:**



**Product:** **Mobile scaffold**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** MES1889589A00TR

**Valid until:** 2028-01-08

**Date,** 2023-03-07

( Andrea Rotundo )

# CERTIFICATE

No. Z1 019700 0031 Rev. 00

**Model(s):** ALUPONT B74 HD, ALUPONT F135 HD, EUROPONT HD, SUPERLUNGO HD, ORIO HD, POKER HD.

**Parameters:**

SCAFFOLDS	CODE TESTED	CONFIGURATION CODES OF THE SUB-MEASURES	CONFIGURATION CODES	CONFIGURATION CODES OF THE SUB-MEASURES	SPECIFICATIONS
POKER HD	POKER HD-05	POKER HD-05	POKER HD-05	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 7,40 on the floor with standard base
			POKER HD-04 + POK1/2CAM	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 6,59 on the floor with standard base
			POKER HD-04	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 5,78 on the floor with standard base
			POKER HD-03 + POK1/2CAM	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 4,97 on the floor with standard base
			POKER HD-03	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 4,16 on the floor with standard base
			POKER HD-02 + POK1/2CAM	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 3,34 on the floor with standard base
			POKER HD-02	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 2,54 on the floor with standard base
			POKER HD-01 + POK1/2CAM	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 1,73 on the floor with standard base
			POKER HD-01	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 0,92 on the floor with standard base

SCAFFOLDS	CODE TESTED	CONFIGURATION CODES OF THE SUB-MEASURES	CONFIGURATION CODES	CONFIGURATION CODES OF THE SUB-MEASURES	SPECIFICATIONS
POKER HD	POKER HD-05	POKER HD-05R	POKER HD-05R	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 7,40 on the floor with standard base
			POKER HD-04R + POK1/2CAM	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 6,59 on the floor with standard base
			POKER HD-04R	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 5,78 on the floor with standard base
			POKER HD-03R + POK1/2CAM	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 4,97 on the floor with standard base
			POKER HD-03R	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 4,16 on the floor with standard base
			POKER HD-02R + POK1/2CAM	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 3,34 on the floor with standard base
			POKER HD-02R	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 2,54 on the floor with standard base
			POKER HD-01R + POK1/2CAM	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 1,73 on the floor with standard base
			POKER HD-01R	mt. 1,60 x 0,80	Complete version EN1004-1 a mt. 0,92 on the floor with standard base

# CERTIFICATE

No. Z1 019700 0031 Rev. 00

ZERTIFIKAT ◆ CERTIFICATE ◆ 認 證 證 書 ◆ CERTIFICADO ◆ СЕРТИФИКАТ ◆ CERTIFICAT

MODEL NAME	CODES CONFIGURATIONS OF THE DIFFERENT VERSIONS	DRAWING CODES CONFIGURATIONS OF THE SUB-SIZES	SCAFFOLD DIMENSIONS	SPECIFICATIONS
ALUPONT B74HD	ALP BHD30-04	ALP BHD30-04	mt. 3,10 x 0,74	mt. 8,52 on the piano with basic standards
		ALP BHD30-HI	mt. 3,10 x 0,74	mt. 7,92 on the piano with basic standards
		ALP BHD30-03	mt. 3,10 x 0,74	mt. 6,42 on the piano with basic standards
		ALP BHD30-02	mt. 3,10 x 0,74	mt. 4,32 on the piano with basic standards
		ALP BHD30-01	mt. 3,10 x 0,74	mt. 2,22 on the piano with basic standards
	ALP BHD25-04	ALP BHD25-04	mt. 2,55 x 0,74	mt. 8,52 on the piano with basic standards
		ALP BHD25-HI	mt. 2,55 x 0,74	mt. 7,92 on the piano with basic standards
		ALP BHD25-03	mt. 2,55 x 0,74	mt. 6,42 on the piano with basic standards
		ALP BHD25-02	mt. 2,55 x 0,74	mt. 4,32 on the piano with basic standards
		ALP BHD25-01	mt. 2,55 x 0,74	mt. 2,22 on the piano with basic standards
	ALP BHD20-04	ALP BHD20-04	mt. 1,97 x 0,74	mt. 8,52 on the piano with basic standards
		ALP BHD20-HI	mt. 1,97 x 0,74	mt. 7,92 on the piano with basic standards
		ALP BHD20-03	mt. 1,97 x 0,74	mt. 6,42 on the piano with basic standards
		ALP BHD20-02	mt. 1,97 x 0,74	mt. 4,32 on the piano with basic standards
		ALP BHD20-01	mt. 1,97 x 0,74	mt. 2,22 on the piano with basic standards

MODEL NAME	CODES CONFIGURATIONS OF THE DIFFERENT VERSIONS	DRAWING CODES CONFIGURATIONS OF THE SUB-SIZES	SCAFFOLD DIMENSIONS	SPECIFICATIONS
ALUPONT B74HD	ALP BHM30-04	ALP BHM30-04	mt. 3,10 x 0,74	mt. 8,52 on the floor with standard base and internal rungs
		ALP BHM30-HI	mt. 3,10 x 0,74	mt. 7,92 on the floor with standard base and internal rungs
		ALP BHM30-03	mt. 3,10 x 0,74	mt. 6,42 on the floor with standard base and internal rungs
		ALP BHM30-02	mt. 3,10 x 0,74	mt. 4,32 on the floor with standard base and internal rungs
		ALP BHM30-01	mt. 3,10 x 0,74	mt. 2,22 on the floor with standard base and internal rungs
	ALP BHM25-04	ALP BHM25-04	mt. 2,55 x 0,74	mt. 8,52 on the floor with standard base and internal ladder with rungs
		ALP BHM25-HI	mt. 2,55 x 0,74	mt. 7,92 on the floor with standard base and internal ladder with rungs
		ALP BHM25-03	mt. 2,55 x 0,74	mt. 6,42 on the floor with standard base and internal ladder with rungs
		ALP BHM25-02	mt. 2,55 x 0,74	mt. 4,32 on the floor with standard base and internal ladder with rungs
		ALP BHM25-01	mt. 2,55 x 0,74	mt. 2,22 on the floor with standard base and internal ladder with rungs
	ALP BHM20-04	ALP BHM20-04	mt. 1,97 x 0,74	mt. 8,52 on the floor with standard base and internal rungs
		ALP BHM20-HI	mt. 1,97 x 0,74	mt. 7,92 on the floor with standard base and internal rungs
		ALP BHM20-03	mt. 1,97 x 0,74	mt. 6,42 on the floor with standard base and internal rungs
		ALP BHM20-02	mt. 1,97 x 0,74	mt. 4,32 on the floor with standard base and internal rungs
		ALP BHM20-01	mt. 1,97 x 0,74	mt. 2,22 on the floor with standard base and internal rungs

# CERTIFICATE

No. Z1 019700 0031 Rev. 00

MODEL NAME	CODES CONFIGURATIONS OF THE DIFFERENT VERSIONS	DRAWING CODES CONFIGURATIONS OF THE SUB-SIZES	SCAFFOLD DIMENSIONS	SPECIFICATIONS
ALUPONT B74HD	ALP BHDA25-04	ALP BHDA25-04	mt. 2,55 x 0,74	mt. 8,52 on the floor with standard base and internal rungs
		ALP BHDA25-HI	mt. 2,55 x 0,74	mt. 7,92 on the floor with standard base and self-assembling parapets
		ALP BHDA25-03	mt. 2,55 x 0,74	mt. 6,42 on the floor with standard base and self-assembling parapets
		ALP BHDA25-02	mt. 2,55 x 0,74	mt. 4,32 on the floor with standard base and self-assembling parapets
		ALP BHDA25-01	mt. 2,55 x 0,74	mt. 2,22 on the floor with standard base and self-assembling parapets
	ALP BHDA20-04	ALP BHDA20-04	mt. 1,97 x 0,74	mt. 8,52 on the floor with standard base and self-assembling parapets
		ALP BHDA20-HI	mt. 1,97 x 0,74	mt. 7,92 on the floor with standard base and self-assembling parapets
		ALP BHDA20-03	mt. 1,97 x 0,74	mt. 6,42 on the floor with standard base and self-assembling parapets
		ALP BHDA20-02	mt. 1,97 x 0,74	mt. 4,32 on the floor with standard base and self-assembling parapets
		ALP BHDA20-01	mt. 1,97 x 0,74	mt. 2,22 on the floor with standard base and self-assembling parapets
	ALP QUICK-04	ALP QUICK-04	mt. 1,97 x 0,74	mt. 8,52 on the top with folding base
		ALP QUICK-03	mt. 1,97 x 0,74	mt. 6,42 on the top with folding base
		ALP QUICK-02	mt. 1,97 x 0,74	mt. 4,32 on the top with folding base
		ALP QUICK-01	mt. 1,97 x 0,74	mt. 2,22 on the top with folding base

MODEL NAME	CODES CONFIGURATIONS OF THE DIFFERENT VERSIONS	DRAWING CODES CONFIGURATIONS OF THE SUB-SIZES	SCAFFOLD DIMENSIONS	SPECIFICATIONS
ORIO HD	ORIO HD-06	ORIO HD-06	mt. 1,80 x 1,00	Full version EN1004-1 at mt. 7.97 per floor with standard hard base
		ORIO HD-05 + POR1/2CAM	mt. 1,80 x 1,00	Full version EN1004-1 at mt. 7.39 on the floor with standard rigid base
		ORIO HD-05	mt. 1,80 x 1,00	Full version EN1004-1 at mt. 6.52 on the floor with standard rigid base
		ORIO HD-04 + POR1/2CAM	mt. 1,80 x 1,00	Full version EN1004-1 at mt. 5.94 on the floor with standard rigid base
		ORIO HD-04	mt. 1,80 x 1,00	Full version EN1004-1 at mt. 5.07 on the floor with standard rigid base
		ORIO HD-03 + POR1/2CAM	mt. 1,80 x 1,00	Full version EN1004-1 at mt. 4.49 on the floor with standard rigid base
		ORIO HD-03	mt. 1,80 x 1,00	Full version EN1004-1 at mt. 3.62 on the floor with standard rigid base
		ORIO HD-02 + POR1/2CAM	mt. 1,80 x 1,00	Full version EN1004-1 at mt. 3.04 on the floor with standard rigid base
		ORIO HD-02	mt. 1,80 x 1,00	Full version EN1004-1 at mt. 2.17 on the floor with standard rigid base
		ORIO HD-01 + POR1/2CAM	mt. 1,80 x 1,00	Full version EN1004-1 at mt. 1.59 on the floor with standard rigid base
		ORIO HD-01	mt. 1,80 x 1,00	Full version EN1004-1 at mt. 0.72 on the floor with standard rigid base

# CERTIFICATE

No. Z1 019700 0031 Rev. 00

MODEL NAME	CODES CONFIGURATIONS OF THE DIFFERENT VERSIONS	DRAWING CODES CONFIGURATIONS OF THE SUB-SIZES	SCAFFOLD DIMENSIONS	SPECIFICATIONS
SUPERLUNGO HD	SUP HD-10	SUP HD-10	mt. 2,5 x 1,20	full version EN1004-1 at mt. 11.40 on the floor with standard rigid base
		SUP HD-09 + PSP1/2CAM	mt. 2,5 x 1,20	full version EN1004-1 at mt. 11.10 on the floor with standard rigid base
		SUP HD-09	mt. 2,5 x 1,20	full version EN1004-1 at mt. 10.20 on the floor with a standard rigid base
		SUP HD-08 + PSP1/2CAM	mt. 2,5 x 1,20	full version EN1004-1 at mt. 9.90 per floor with standard rigid base
		SUP HD-08	mt. 2,5 x 1,20	full version EN1004-1 at mt. 9.00 per floor with standard rigid base
		SUP HD-07 + PSP1/2CAM	mt. 2,5 x 1,20	full version EN1004-1 at mt. 8.70 on the floor with a standard rigid base
		SUP HD-07	mt. 2,5 x 1,20	full version EN1004-1 at mt. 7.80 on the floor with a standard rigid base
		SUP HD-06 + PSP1/2CAM	mt. 2,5 x 1,20	full version EN1004-1 at mt. 7.50 per floor with standard rigid base
		SUP HD-06	mt. 2,5 x 1,20	full version EN1004-1 at mt. 6.60 on the floor with a standard rigid base
		SUP HD-05 + PSP1/2CAM	mt. 2,5 x 1,20	full version EN1004-1 at mt. 6.30 on the floor with a standard rigid base
		SUP HD-05	mt. 2,5 x 1,20	full version EN1004-1 at mt. 5.40 on the floor with standard rigid base
		SUP HD-04 + PSP1/2CAM	mt. 2,5 x 1,20	full version EN1004-1 at mt. 5.10 on the floor with standard rigid base
		SUP HD-04	mt. 2,5 x 1,20	full version EN1004-1 at mt. 4.20 on the floor with standard rigid base
		SUP HD-03 + PSP1/2CAM	mt. 2,5 x 1,20	full version EN1004-1 at mt. 3.90 on the floor with standard rigid base
		SUP HD-03	mt. 2,5 x 1,20	full version EN1004-1 at mt. 3.00 per floor with standard rigid base
		SUP HD-02 + PSP1/2CAM	mt. 2,5 x 1,20	full version EN1004-1 at mt. 2.70 on the floor with standard rigid base
		SUP HD-02	mt. 2,5 x 1,20	full version EN1004-1 at mt. 1.80 on the floor with standard rigid base
SUP HD-01 + PSP1/2CAM	mt. 2,5 x 1,20	full version EN1004-1 at mt. 1.50 on the floor with standard rigid base		
SUP HD-01	mt. 2,5 x 1,20	full version EN1004-1 at mt. 0.60 on the floor with standard rigid base		

MODEL NAME	CODES CONFIGURATIONS OF THE DIFFERENT VERSIONS	DRAWING CODES CONFIGURATIONS OF THE SUB-SIZES	SCAFFOLD DIMENSIONS	SPECIFICATIONS
SUPERLUNGO HD	EXP HD-10	EXP HD-10	mt. 2,0 x 1,20	full version EN1004-1 at mt. 11.40 on the floor with standard rigid base
		EXP HD-09 + EXP HD1/2CA	mt. 2,0 x 1,20	full version EN1004-1 at mt. 11.10 on the floor with standard rigid base
		EXP HD-09	mt. 2,0 x 1,20	full version EN1004-1 at mt. 10.20 on the floor with a standard rigid base
		EXP HD-08 + EXP HD1/2CA	mt. 2,0 x 1,20	full version EN1004-1 at mt. 9.90 per floor with standard rigid base
		EXP HD-08	mt. 2,0 x 1,20	full version EN1004-1 at mt. 9.00 per floor with standard rigid base
		EXP HD-07 + EXP HD1/2CA	mt. 2,0 x 1,20	full version EN1004-1 at mt. 8.70 on the floor with a standard rigid base
		EXP HD-07	mt. 2,0 x 1,20	full version EN1004-1 at mt. 7.80 on the floor with a standard rigid base
		EXP HD-06 + EXP HD1/2CA	mt. 2,0 x 1,20	full version EN1004-1 at mt. 7.50 per floor with standard rigid base
		EXP HD-06	mt. 2,0 x 1,20	full version EN1004-1 at mt. 6.60 on the floor with a standard rigid base
		EXP HD-05 + EXP HD1/2CA	mt. 2,0 x 1,20	full version EN1004-1 at mt. 6.30 on the floor with a standard rigid base
		EXP HD-05	mt. 2,0 x 1,20	full version EN1004-1 at mt. 5.40 on the floor with standard rigid base
		EXP HD-04 + EXP HD1/2CA	mt. 2,0 x 1,20	full version EN1004-1 at mt. 5.10 on the floor with standard rigid base
		EXP HD-04	mt. 2,0 x 1,20	full version EN1004-1 at mt. 4.20 on the floor with standard rigid base
		EXP HD-03 + EXP HD1/2CA	mt. 2,0 x 1,20	full version EN1004-1 at mt. 3.90 on the floor with standard rigid base
		EXP HD-03	mt. 2,0 x 1,20	full version EN1004-1 at mt. 3.00 per floor with standard rigid base
		EXP HD-02 + EXP HD1/2CA	mt. 2,0 x 1,20	full version EN1004-1 at mt. 2.70 on the floor with standard rigid base
		EXP HD-02	mt. 2,0 x 1,20	full version EN1004-1 at mt. 1.80 on the floor with standard rigid base
EXP HD-01 + EXP HD1/2CA	mt. 2,0 x 1,20	full version EN1004-1 at mt. 1.50 on the floor with standard rigid base		
EXP HD-01	mt. 2,0 x 1,20	full version EN1004-1 at mt. 0.60 on the floor with standard rigid base		

# CERTIFICATE

No. Z1 019700 0031 Rev. 00

ZERTIFIKAT ◆ CERTIFICATE ◆ 認 證 證 書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆ СЕРТИФИКАТ

MODEL NAME	CODES CONFIGURATIONS OF THE DIFFERENT VERSIONS	DRAWING CODES CONFIGURATIONS OF THE SUB-SIZES	SCAFFOLD DIMENSIONS	SPECIFICATIONS
EUROPONT HD	EUR XHD-07	EUR XHD-07	mt. 1,60 x 0,80	full version EN1004-1 at mt. 7.84 on the floor with standard base, ballasted base crosspieces and ballasted stabilizer brackets
		EUR XHD-06	mt. 1,60 x 0,80	full version EN1004-1 at mt. 6.84 on the floor with standard base, ballasted base crossbars and ballasted stabilizer brackets
		EUR XHD-05	mt. 1,60 x 0,80	full version EN1004-1 at mt. 5.84 on the floor with standard base, ballasted base crosspieces and ballasted stabilizer brackets
		EUR XHD-04	mt. 1,60 x 0,80	full version EN1004-1 at mt. 4.84 on the floor with standard base, ballasted base crossbars and ballasted stabilizer brackets
		EUR XHD-03	mt. 1,60 x 0,80	full version EN1004-1 at mt. 3.84 on the floor with standard base, ballasted base crosspieces and ballasted stabilizer brackets
		EUR XHD-02	mt. 1,60 x 0,80	full version EN1004-1 at mt. 2.84 on the floor with standard base, ballasted base crosspieces and ballasted stabilizer brackets
		EUR XHD-01	mt. 1,60 x 0,80	full version EN1004-1 at mt. 1.84 on the floor with standard base, weighted base crossbars and weighted stabilizer brackets
	EUR XHDA-07	EUR XHDA-07	mt. 1,60 x 0,80	full version EN1004-1 at mt. 7.84 on the floor with standard base, self-erecting parapets, ballasted base crosspieces and ballasted stabilizing brackets
		EUR XHDA-06	mt. 1,60 x 0,80	full version EN1004-1 at mt. 6.84 on the floor with standard base, self-assembling parapets, ballasted base crossbars and ballasted stabilizing brackets
		EUR XHDA-05	mt. 1,60 x 0,80	full version EN1004-1 at mt. 5.84 on the floor with standard base, self-erecting parapets, ballasted base crossbars and ballasted stabilizing brackets
		EUR XHDA-04	mt. 1,60 x 0,80	full version EN1004-1 at mt. 4.84 on the floor with standard base, self-erecting parapets, ballasted base crosspieces and ballasted stabilizing brackets
		EUR XHDA-03	mt. 1,60 x 0,80	full version EN1004-1 at mt. 3.84 on the floor with standard base, self-erecting parapets, ballasted base crossbars and ballasted stabilizing brackets
		EUR XHDA-02	mt. 1,60 x 0,80	full version EN1004-1 at mt. 2.84 on the floor with standard base, self-erecting parapets, ballasted base crossbars and ballasted stabilizing brackets
		EUR XHDA-01	mt. 1,60 x 0,80	full version EN1004-1 at mt. 1.84 on the floor with standard base, self-erecting parapets, ballasted base crosspieces and ballasted stabilizing brackets
	EUR XHDP-07	EUR XHDP-07	mt. 1,60 x 0,80	full version EN1004-1 at mt. 7.84 on the floor with folding base, weighted base crosspieces and weighted stabilizing brackets
		EUR XHDP-06	mt. 1,60 x 0,80	full version EN1004-1 at mt. 6.84 on the floor with folding base, weighted base crosspieces and weighted stabilizing brackets
		EUR XHDP-05	mt. 1,60 x 0,80	full version EN1004-1 at mt. 5.84 on the floor with folding base, weighted base crosspieces and weighted stabilizing brackets
		EUR XHDP-04	mt. 1,60 x 0,80	full version EN1004-1 at mt. 4.84 on the floor with folding base, weighted base crosspieces and weighted stabilizing brackets
		EUR XHDP-03	mt. 1,60 x 0,80	full version EN1004-1 at mt. 3.84 on the floor with folding base, weighted base crosspieces and weighted stabilizing brackets
		EUR XHDP-02	mt. 1,60 x 0,80	full version EN1004-1 at mt. 2.84 on the floor with folding base, weighted base crosspieces and weighted stabilizing brackets
		EUR XHDP-01	mt. 1,60 x 0,80	full version EN1004-1 at mt. 1.84 on the floor with folding base, weighted base crossbars and weighted stabilizing brackets

# CERTIFICATE

No. Z1 019700 0031 Rev. 00

MODEL NAME	CODES CONFIGURATIONS OF THE DIFFERENT VERSIONS	DRAWING CODES CONFIGURATIONS OF THE SUB-SIZES	SCAFFOLD DIMENSIONS	SPECIFICATIONS
ALUPONT F135 HD	ALP FHD30-HE	ALP FHD30-HE	mt. 3,10 x 1,35	full version EN1004-1 at mt. 11.82 on the floor with standard base
		ALP FHD30-05	mt. 3,10 x 1,35	full version EN1004-1 at mt. 10.62 on the floor with standard base
		ALP FHD30-04	mt. 3,10 x 1,35	full version EN1004-1 at mt. 8.52 on the floor with a standard base
		ALP FHD30-HI	mt. 3,10 x 1,35	full version EN1004-1 at mt. 7.92 per floor with standard base
		ALP FHD30-03	mt. 3,10 x 1,35	full version EN1004-1 at mt. 6.42 on the floor with a standard base
		ALP FHD30-02	mt. 3,10 x 1,35	full version EN1004-1 at mt. 4.32 on the floor with standard base
		ALP FHD30-01	mt. 3,10 x 1,35	full version EN1004-1 at mt. 2.22 on the floor with standard base
	ALP FHD25-HE	ALP FHD25-HE	mt. 2,55 x 1,35	full version EN1004-1 at mt. 11.82 on the floor with standard base
		ALP FHD25-05	mt. 2,55 x 1,35	full version EN1004-1 at mt. 10.62 on the floor with standard base
		ALP FHD25-04	mt. 2,55 x 1,35	full version EN1004-1 at mt. 8.52 on the floor with a standard base
		ALP FHD25-HI	mt. 2,55 x 1,35	full version EN1004-1 at mt. 7.92 per floor with standard base
		ALP FHD25-03	mt. 2,55 x 1,35	full version EN1004-1 at mt. 6.42 on the floor with a standard base
		ALP FHD25-02	mt. 2,55 x 1,35	full version EN1004-1 at mt. 4.32 on the floor with standard base
		ALP FHD25-01	mt. 2,55 x 1,35	full version EN1004-1 at mt. 2.22 on the floor with standard base
	ALP FHD20-HE	ALP FHD20-HE	mt. 1,97 x 1,35	full version EN1004-1 at mt. 11.82 on the floor with standard base
		ALP FHD20-05	mt. 1,97 x 1,35	full version EN1004-1 at mt. 10.62 on the floor with standard base
		ALP FHD20-04	mt. 1,97 x 1,35	full version EN1004-1 at mt. 8.52 on the floor with a standard base
		ALP FHD20-HI	mt. 1,97 x 1,35	full version EN1004-1 at mt. 7.92 per floor with standard base
		ALP FHD20-03	mt. 1,97 x 1,35	full version EN1004-1 at mt. 6.42 on the floor with a standard base
		ALP FHD20-02	mt. 1,97 x 1,35	full version EN1004-1 at mt. 4.32 on the floor with standard base
		ALP FHD20-01	mt. 1,97 x 1,35	full version EN1004-1 at mt. 2.22 on the floor with standard base
	ALP FHDA25-05	ALP FHDA25-05	mt. 2,55 x 1,35	full version EN1004-1 at mt. 10.62 on the floor with standard base and self-assembling parapets
		ALP FHDA25-04	mt. 2,55 x 1,35	full version EN1004-1 at mt. 8.52 on the floor with standard base and self-assembling parapets
		ALP FHDA25-03	mt. 2,55 x 1,35	full version EN1004-1 at mt. 6.42 on the floor with standard base and self-assembling parapets
		ALP FHDA25-02	mt. 2,55 x 1,35	full version EN1004-1 at mt. 4.32 on the floor with standard base and self-assembling parapets
		ALP FHDA25-01	mt. 2,55 x 1,35	full version EN1004-1 at mt. 2.22 on the floor with standard base and self-assembling parapets

# CERTIFICATE

No. Z1 019700 0031 Rev. 00

MODEL NAME	CODES CONFIGURATIONS OF THE DIFFERENT VERSIONS	DRAWING CODES CONFIGURATIONS OF THE SUB-SIZES	SCAFFOLD DIMENSIONS	SPECIFICATIONS
ALUPONT F135 HD	ALP FHDA20-05	ALP FHDA20-05	mt. 1,97 x 1,35	full version EN1004-1 at mt. 10.62 on the floor with standard base and self-assembling parapets
		ALP FHDA20-04	mt. 1,97 x 1,35	full version EN1004-1 at mt. 8.52 on the floor with standard base and self-assembling parapets
		ALP FHDA20-03	mt. 1,97 x 1,35	full version EN1004-1 at mt. 6.42 on the floor with standard base and self-assembling parapets
		ALP FHDA20-02	mt. 1,97 x 1,35	full version EN1004-1 at mt. 4.32 on the floor with standard base and self-assembling parapets
		ALP FHDA20-01	mt. 1,97 x 1,35	full version EN1004-1 at mt. 2.22 on the floor with standard base and self-assembling parapets
	ALP FTRSU25-5	ALP FTRSU25-5	mt. 2,55 x 1,35	full version EN1004-1 at mt. 10.92 on the floor with base upright with passage door and wide step service stairs with external handrails
		ALP FTRSU25-4	mt. 2,55 x 1,35	full version EN1004-1 at mt. 8.82 on the floor with base upright with passage door and wide step service stairs with external handrails
		ALP FTRSU25-3	mt. 2,55 x 1,35	full version EN1004-1 at mt. 6.72 on the floor with base upright with passage door and wide step service stairs with external handrails
		ALP FTRSU25-2	mt. 2,55 x 1,35	full version EN1004-1 at mt. 4.62 on the floor with base upright with passage door and wide step service stairs with external handrails
		ALP FTRSU25-1	mt. 2,55 x 1,35	full version EN1004-1 at mt. 2.52 on the floor with base upright with passage door and wide step service stairs with external handrails
	ALP FTRSU20-5	ALP FTRSU20-5	mt. 1,97 x 1,35	full version EN1004-1 at mt. 10.92 on the floor with base upright with passage door and wide step service stairs with external handrails
		ALP FTRSU20-4	mt. 1,97 x 1,35	full version EN1004-1 at mt. 8.82 on the floor with base upright with passage door and wide step service stairs with external handrails
		ALP FTRSU20-3	mt. 1,97 x 1,35	full version EN1004-1 at mt. 6.72 on the floor with base upright with passage door and wide step service stairs with external handrails
		ALP FTRSU20-2	mt. 1,97 x 1,35	full version EN1004-1 at mt. 4.62 on the floor with base upright with passage door and wide step service stairs with external handrails
		ALP FTRSU20-1	mt. 1,97 x 1,35	full version EN1004-1 at mt. 2.52 on the floor with base upright with passage door and wide step service stairs with external handrails

Tested according to: EN 1004-1:2020  
EN 1004-2:2021